



Products & Services

tQ Automation, LLC
11665 Fuqua Street, Suite F-610
Houston, TX 77034
www.tqautomation.com



Board Repair Services & Parts

Product

Controller Board Repair – 8800 & 8500 (Power supply and Radio power supply)

Controller Board Repair – 8800 & 8500 (CPU & Analog)

Controller Board Repair – M2000 & ePIC

Controller Board Repair – Surge Board

Controller Board Repair – DC-to-DC Converter

Controller Board Repair – WellPilot

Controller Board Repair – EXS 1000

Controller Board Repair – SAM Lufkin Main Board

Controller Board Repair – SAM Lufkin Analog Board

Controller Board Repair – Replacement Screens for 8800 or M2000

Controller Board Repair – Replacement Screens for SAM Lufkin

Controller Board Repair – Replacement Keypad for SAM Lufkin

Controller Board Repair – SMARTEN controller boards

Custom Replacement POC Cables available – 8800 Power Supply cable, Display cable, etc.

MAP55-1012 Power Supply

LFVLT-60-1001 Power Supply

EXOR HMI Repair or Replacement



Load Cells Wired & Wireless

Product

Load Sensor – 30K Load Cell - Precision, All stainless, Hermetically sealed, MV Output

Load Sensor – 50K Load Cell - Precision, All stainless, Hermetically sealed, MV Output

Flintec Wireless Load Cell

Flintec Wireless Load Cell Adaptor Retrofit Kits

Flat Load Cell Leveling Plates (Set of 2 plates)

Spherical Load Cell Plates (Set includes concave and convex plates)



Load Cell Cables & Position Sensors

Product

Dual-axis Inclinometer with mounting bracket and magnet

Inclinometer Standard Cable – 50 ft length

Inclinometer Standard Cable – 75 ft length

Inclinometer Standard Cable – 100 ft length

Inclinometer Armored Cable – 50 ft length

Inclinometer Armored Cable – 75 ft length

Inclinometer Armored Cable – 100 ft length

Position Switches with Mounting Kit – Standard – 50 ft length

Position Switches with Mounting Kit – Armored – 50 ft length

Standard Load Cell Cable – 100 ft length

Standard Load Cell Cable – 75 ft length

Standard Load Cell Cable – 50 ft length

Armored, Rodent Resistant Load Cell Cable – 75 ft length

Armored, Rodent Resistant Load Cell Cable – 50 ft length

Coiled Load Cell Cable – 35 ft length

Coiled Load Cell Cable – 55 ft length

Coiled Load Cell Cable – 75 ft length

Coiled Load Cell Cable – 100 ft length



Contact us

tQ Automation

D'Anna Dwiggans Dunn

✉ E-mail: susan@tqautomation.com

☎ Mobile: + 1 432-934-8087

Iqbal Latheef

✉ E-mail: iqbal@tqautomation.com

☎ Mobile: + 1 281-620-3819

 Website: <http://www.tqautomation.com/>

✉ E-mail: pochelp@tqautomation.com

☎ Office: +1 281-481-3803